

**Series 8, Warmer Drawer, 60 x 29 cm, Black
 BID7101B1B**

HEZ6WCC0 Cookbook

Preheat plates and cups, so that your dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- **Slow cooking** : for slow and gentle cooking at a low temperature.
 - **Keep warm**: for keeping cooked dishes warm.
 - **Preheat plates**: so that your dishes stay hot longer.
 - **Preheat cups**: so that your beverages stay hot longer.
 - **Push-pull mechanism**: easy opening and closing thanks to a practical spring mechanism.
-

Built-in / Free-standing: Built-in
 Maximum number of plates:40
 Maximum number of espresso cups:192
 Dimensions: 290 x 594 x 518 mm
 Dimensions of the packed product (HxWxD): 400 x 650 x 700 mm
 Min. required niche size for installation (HxWxD):290 x 560 x 550 mm
 EAN code:4242005323029
 Fuse protection:10 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Plug type:GB plug



**Series 8, Warmer Drawer, 60 x 29
cm, Black
BID7101B1B**

**Preheat plates and cups, so that your
dishes stay hot longer. Keep warm, for
keeping cooked dishes warm.**

Design:

- User-friendly electronics: extremely
- easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 54 l
- Loading up to 25 kg
- Max. loading espresso cups: 192 PC or Max. loading plates: 40 PC
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Push & Pull
- Touch key operation
- Multifunctional warming drawer with the heating functions: low temperature cooking, Hold warm, plate warming, cup warming

Technical Info:


- Length of mains cable: 175 cm
- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

Dimensions:

- Appliance dimension (hxwxd): 290 mm x 594 mm x 518 mm
- Niche dimension (hxwxd): 290 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"


**Series 8, Warmer Drawer, 60 x 29 cm, Black
 BID7101B1B**

Measurements in mm



A: 287.5 mm
 Ovens with appliance height of 595 mm can be installed above the warming drawer without an intermediate floor

Measurements in mm



A: 287.5 mm