

**iQ700, Built-in Compact  
Microwave Oven, 60 x 45 cm,  
Black  
CM936GCB1**



Shorten your cooking time thanks to varioSpeed and fast preheat. And remote your oven from anywhere with Home Connect.

- ✓ cookControl Pro – Excellent results, whatever the recipe or circumstances.
- ✓ roastingSensor Plus – Perfect roasting results.
- ✓ 4D hotAir: flexible choice of shelf.
- ✓ fastPreheat: reach the required baking temperature sooner; coolStart: no need to preheat the oven for deep frozen food.
- ✓ varioSpeed – Prepare excellent dishes up to 50% faster.

Additional Features: ..... activeClean  
 Type of control: ..... Electronic  
 Dimensions: ..... 455 x 594 x 548 mm  
 Cavity dimensions: ..... 237.0 x 480 x 392.0 mm  
 Length electrical supply cord: ..... 150.0 cm  
 Net weight: ..... 36.0 kg  
 Gross weight: ..... 38.3 kg  
 EAN code: ..... 4242003901366  
 Maximum Power: ..... 900 W  
 Connection rating: ..... 3600 W  
 Fuse protection: ..... 16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Plug type: ..... Gardy plug w/ earthing  
 Included accessories: ..... 1 x combination grid, 1 x universal pan



1 x combination grid, 1 x universal pan

HZ327000 Baking stone, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ634000 Baking and roasting grid (standard), HZ636000 Glass pan, HZ664000 Baking and roasting grid (steam), HZ66X600 Decor list, HZ66X650 Cover Strip, HZ6BMA00 Assembly kit for vertical installation, HZ915003 Glass roasting dish, 5,4 L, HZGOAS00 Connecting cable 3m

## iQ700, Built-in Compact Microwave Oven, 60 x 45 cm, Black CM936GCB1

### Type of oven / heating system:

- Compact oven with microwave with 19 heating methods: 4D hot air, Conventional cooking, hot air grilling, Full width grill, Half width grill, Intensive hot air, Deep-frozen food special, Bottom heat, low temperature cooking, Plate warming setting, Hold warm setting, Hotair gentle, Conventional heat gentle, microwave, 4D Hot air, Conventional heat, Full width grill, Half width grill, Hot air grilling
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, boost) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Temperature range 30 °C - 300 °C
- Cavity volume: 45 l

### Hook-in racks / rails

- Number of shelf levels: 3 PC
- 1 level telescopic shelf

### Design:

- black Steel Design
- Touch control
- studioLine Glass handle
- Cavity inner surface: enamel anthracite

### Cleaning:

- Ecolyse features: back panel
- hydrolyse program

### Comfort:

- Oven Assistant with Voice Control
- LED clock and automatic programmer
- Temperature proposal
- Actual temperature display Heating-up control
- Drop down door, soft closing, soft opening
- Supporting systems: Dish categories
- yes
- Rapid heating-up
- coolStart
- LED light, Independent oven interior light button
- Integral cooling fan
- WLAN

### Accessory:

- 1 x combination grid, 1 x universal pan

### Comfort and Safety:

- Maximum window temperature 40° C
- Child safety button
- Automatic safety switch off residual heat indicator start button door contact switch

### Technical Info:


- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

### Dimensions:




- Appliance dimension (hxwx): 455 mm x 594 mm x 548 mm
- Niche dimension (hxwx): 560 mm - 568 mm x 450 mm - 455 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

**iQ700, Built-in Compact  
Microwave Oven, 60 x 45 cm,  
Black  
CM936GCB1**


Measurements in mm



**Installing two appliances on top of each other  
Air exchange**



Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm